

METROPOLITAN AREA PROFILES

Albuquerque, NM



Deaths reported to DAWN

Drug misuse 147
Suicide 17

Metro area population, 2004

781,447

Population covered by DAWN

781,447

Percent of population covered by DAWN

100%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (4)	147	188.1	17	21.8	781,447
1. Bernalillo County, NM*	130	218.9	13	21.9	593,765
2. Sandoval County, NM	4	39.2	2	19.6	102,120
3. Torrance County, NM	1	59.3	2	118.6	16,864
4. Valencia County, NM	12	174.7	0	0.0	68,698

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		24
Home		89
Public place		10
Other		24
Not documented		0
Suicide		Deaths
Health care facility		--
Home		12
Public place		0
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	134	Any drug-related cause	17
Abuse	--	Abuse	--
Drug or alcohol	133	Drug or alcohol	17
Toxic effects	109	Toxic effects	7
Body systems (includes infections)	32	Body systems (includes infections)	0
Accidents and injuries	9	Accidents and injuries	8

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	156	147	61	18	17	5
Alcohol ²	51	43	0	5	7	0
Cocaine	62	53	17	--	--	0
Marijuana	--	0	0	0	0	0
Stimulants	6	12	6	0	--	0
Club drugs ³	0	0	0	0	0	0
Hallucinogens ⁴	0	--	0	0	0	0
Inhalants	--	0	0	0	0	0
Antidepressants	15	14	4	7	8	0
Antipsychotics	0	--	0	--	0	0
Benzodiazepines	16	15	0	--	--	0
Misc. anxiolytics, sedatives, and hypnotics	--	5	0	--	0	0
Opiates/opioids	112	108	32	9	11	5
Heroin (specified)	42	41	11	0	--	0
Methadone	23	29	8	--	--	0
All other opiates/opioids	54	44	13	7	8	5
Nonsteroidal anti-inflammatory agents	--	--	0	0	--	0
Salicylates/combinations	--	0	0	--	0	0
Misc. analgesics/combinations	--	6	--	--	--	0
Anticonvulsants	--	--	0	0	0	0
Muscle relaxants	5	4	0	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Atlanta-Sandy Springs-Marietta, GA



Deaths reported to DAWN

Drug misuse 195
Suicide 25

Metro area population, 2004

4,708,297

Population covered by DAWN

3,148,259

Percent of population covered
by DAWN
67%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (8)	195	61.9	25	7.9	3,148,259
1. Barrow County, GA					56,418
2. Bartow County, GA					86,972
3. Butts County, GA					22,362
4. Carroll County, GA	18	177.2	2	19.7	101,577
5. Cherokee County, GA	2	11.4	1	5.7	174,680
6. Clayton County, GA					264,951
7. Cobb County, GA	42	64.2	3	4.6	654,005
8. Coweta County, GA					105,376
9. Dawson County, GA					19,064
10. DeKalb County, GA	18	26.6	4	5.9	675,725
11. Douglas County, GA					107,217
12. Fayette County, GA					101,333
13. Forsyth County, GA					131,865
14. Fulton County, GA*	90	110.5	10	12.3	814,438
15. Gwinnett County, GA	25	35.7	5	7.1	700,794
16. Haralson County, GA					28,069
17. Heard County, GA	0	0.0	0	0.0	11,290
18. Henry County, GA					159,506
19. Jasper County, GA					12,866
20. Lamar County, GA					16,410
21. Meriwether County, GA					22,750
22. Newton County, GA					81,524
23. Paulding County, GA					105,936
24. Pickens County, GA					27,771
25. Pike County, GA	0	0.0	0	0.0	15,750
26. Rockdale County, GA					76,821
27. Spalding County, GA					60,886
28. Walton County, GA					71,941

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	47
Home	101
Public place	10
Other	37
Not documented	0
Suicide	Deaths
Health care facility	5
Home	15
Public place	--
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	187	Any drug-related cause	24
Abuse	5	Abuse	0
Drug or alcohol	187	Drug or alcohol	24
Toxic effects	165	Toxic effects	23
Body systems (includes infections)	36	Body systems (includes infections)	0
Accidents and injuries	11	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		195	84		25	7
Alcohol ²		44	--		9	0
Cocaine		103	59		0	0
Marijuana		0	0		0	0
Stimulants		17	5		--	0
Club drugs ³		--	0		0	0
Hallucinogens ⁴		0	0		0	0
Inhalants		0	0		0	0
Antidepressants		25	--		9	--
Antipsychotics		--	0		--	0
Benzodiazepines		33	0		10	--
Misc. anxiolytics, sedatives, and hypnotics		12	--		8	--
Opiates/opioids		103	15		5	--
Heroin (specified)		--	0		0	0
Methadone		37	6		0	0
All other opiates/opioids		77	9		5	--
Nonsteroidal anti-inflammatory agents		0	0		--	0
Salicylates/combinations		0	0		--	--
Misc. analgesics/combinations		4	0		--	0
Anticonvulsants		4	0		--	0
Muscle relaxants		8	0		4	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Baltimore-Towson, MD



Deaths reported to DAWN

Drug misuse 468
Suicide 23

Metro area population, 2004

2,639,213

Population covered by DAWN

2,639,213

Percent of population covered by DAWN

100%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (7)	468	177.3	23	8.7	2,639,213
1. Anne Arundel County, MD	46	90.4	1	2.0	508,572
2. Baltimore City, MD*	286	449.5	5	7.9	636,251
3. Baltimore County, MD*	91	116.5	13	16.6	780,821
4. Carroll County, MD	13	78.2	2	12.0	166,159
5. Harford County, MD	16	67.9	0	0.0	235,594
6. Howard County, MD	13	48.7	2	7.5	266,738
7. Queen Anne's County, MD	3	66.6	0	0.0	45,078

* Indicates area featured in Spotlight section.

¹Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	164
Home	212
Public place	13
Other	78
Not documented	--
Suicide	Deaths
Health care facility	5
Home	15
Public place	--
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	460	Any drug-related cause	23
Abuse	4	Abuse	0
Drug or alcohol	460	Drug or alcohol	23
Toxic effects	437	Toxic effects	21
Body systems (includes infections)	19	Body systems (includes infections)	0
Accidents and injuries	10	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	538	468	107	12	23	8
Alcohol ²	215	149	7	5	7	0
Cocaine	226	194	26	0	4	0
Marijuana	0	--	0	0	0	0
Stimulants	0	--	0	0	0	0
Club drugs ³	0	--	0	0	0	0
Hallucinogens ⁴	--	--	0	0	0	0
Inhalants	0	--	0	0	0	0
Antidepressants	119	67	--	10	4	0
Antipsychotics	27	17	--	0	--	0
Benzodiazepines	32	18	0	--	--	--
Misc. anxiolytics, sedatives, and hypnotics	78	49	--	4	10	--
Opiates/opioids	469	385	63	--	9	--
Heroin (specified)	--	68	10	0	--	0
Methadone	114	107	17	--	0	0
All other opiates/opioids	405	281	36	--	8	--
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	--	--	--	0	0
Misc. analgesics/combinations	53	45	--	6	7	--
Anticonvulsants	--	--	0	--	0	0
Muscle relaxants	9	11	0	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Birmingham-Hoover, AL



Deaths reported to DAWN

Drug misuse	95
Suicide	12

Metro area population, 2004

1,082,193

Population covered by DAWN

658,495

Percent of population covered by DAWN

61%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	95	144.3	12	18.2	658,495
1. Bibb County, AL					21,317
2. Blount County, AL					54,988
3. Chilton County, AL					41,466
4. Jefferson County, AL	95	144.3	12	18.2	658,495
5. Shelby County, AL					165,677
6. St. Clair County, AL					70,245
7. Walker County, AL					70,005

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.

Deaths by case type, 2004




Place of death, 2004


Drug misuse	Deaths
Health care facility	15
Home	46
Public place	19
Other	15
Not documented	0

Suicide	Deaths
Health care facility	--
Home	7
Public place	--
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	75	Any drug-related cause	8
Abuse	59	Abuse	--
Drug or alcohol	73	Drug or alcohol	8
Toxic effects	30	Toxic effects	6
Body systems (includes infections)	25	Body systems (includes infections)	--
Accidents and injuries	24	Accidents and injuries	5

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	89	95	15	7	12	0
Alcohol ²	24	23	0	4	4	4
Cocaine	47	56	15	--	5	5
Marijuana	--	--	0	0	0	0
Stimulants	4	4	0	0	0	0
Club drugs ³	--	--	0	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0
Antidepressants	30	24	0	--	5	5
Antipsychotics	6	--	0	0	--	--
Benzodiazepines	37	38	0	4	4	4
Misc. anxiolytics, sedatives, and hypnotics	16	14	0	--	--	--
Opiates/opioids	61	60	0	5	4	4
Heroin (specified)	--	--	0	0	0	0
Methadone	30	28	0	--	--	--
All other opiates/opioids	40	43	0	--	--	--
Nonsteroidal anti-inflammatory agents	0	--	0	0	0	0
Salicylates/combinations	4	--	0	--	0	0
Misc. analgesics/combinations	12	6	0	--	0	0
Anticonvulsants	8	--	0	0	--	--
Muscle relaxants	8	8	0	--	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Boston-Cambridge-Quincy, MA-NH



Deaths reported to DAWN

Drug misuse 445
Suicide 50

Metro area population, 2004

4,424,649

Population covered by DAWN

4,424,649

Percent of population covered by DAWN

100%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (7)	445	100.6	50	11.3	4,424,649
1. Essex County, MA*	79	106.9	11	14.9	738,984
2. Middlesex County, MA*	121	82.6	11	7.5	1,464,628
3. Norfolk County, MA	55	84.1	9	13.8	653,617
4. Plymouth County, MA	33	67.3	3	6.1	490,655
5. Suffolk County, MA*	128	192.2	13	19.5	666,022
6. Rockingham County, NH	24	82.0	2	6.8	292,526
7. Strafford County, NH	5	42.3	1	8.5	118,217

* Indicates area featured in Spotlight section.

¹Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	92
Home	235
Public place	30
Other	59
Not documented	29
Suicide	Deaths
Health care facility	11
Home	30
Public place	--
Other	--
Not documented	--

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	443	Any drug-related cause	47
Abuse	97	Abuse	--
Drug or alcohol	439	Drug or alcohol	46
Toxic effects	402	Toxic effects	38
Body systems (includes infections)	60	Body systems (includes infections)	6
Accidents and injuries	58	Accidents and injuries	24

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	486	445	193	63	50	25
Alcohol ²	114	127	--	15	16	0
Cocaine	216	164	35	21	12	5
Marijuana	18	7	--	0	--	0
Stimulants	--	4	--	0	0	0
Club drugs ³	--	--	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	5	--	--	--	--	--
Antidepressants	32	47	10	11	10	--
Antipsychotics	10	7	--	5	11	4
Benzodiazepines	88	40	--	7	7	--
Misc. anxiolytics, sedatives, and hypnotics	5	5	0	5	6	--
Opiates/opioids	316	323	132	23	8	4
Heroin (specified)	109	142	67	--	0	0
Methadone	35	40	19	--	0	0
All other opiates/opioids	188	150	46	20	8	4
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	0	0	--	0	0
Misc. analgesics/combinations	4	8	4	--	4	4
Anticonvulsants	--	--	0	0	0	0
Muscle relaxants	--	--	0	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Buffalo-Cheektowaga-Tonawanda, NY



Deaths reported to DAWN

Drug misuse 100
Suicide 10

Metro area population, 2004

1,154,378

Population covered by DAWN

1,154,378

Percent of population covered by DAWN

100%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	100	86.6	10	8.7	1,154,378
1. Erie County, NY*	86	91.8	8	8.5	936,318
2. Niagara County, NY	14	64.2	2	9.2	218,060

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.

Deaths by case type, 2004




Place of death, 2004


Drug misuse	Deaths
Health care facility	31
Home	47
Public place	7
Other	15
Not documented	0

Suicide	Deaths
Health care facility	--
Home	4
Public place	--
Other	--
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	89	Any drug-related cause	10
Abuse	21	Abuse	--
Drug or alcohol	89	Drug or alcohol	10
Toxic effects	68	Toxic effects	9
Body systems (includes infections)	26	Body systems (includes infections)	0
Accidents and injuries	0	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	65	100	12	18	10	--
Alcohol ²	21	34	0	8	4	--
Cocaine	26	33	--	4	0	--
Marijuana	7	13	0	--	0	--
Stimulants	0	0	0	0	0	--
Club drugs ³	0	0	0	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	0	0	0	--	0	--
Antidepressants	27	25	--	10	4	--
Antipsychotics	4	7	0	--	--	--
Benzodiazepines	19	29	0	--	--	--
Misc. anxiolytics, sedatives, and hypnotics	9	18	0	5	4	--
Opiates/opioids	51	84	8	8	5	--
Heroin (specified)	17	27	4	--	0	--
Methadone	7	7	0	0	0	--
All other opiates/opioids	44	56	4	8	5	--
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	--
Salicylates/combinations	0	0	0	0	0	--
Misc. analgesics/combinations	--	--	0	0	--	--
Anticonvulsants	0	6	0	0	0	--
Muscle relaxants	4	9	0	--	--	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Chicago-Naperville-Joliet, IL-IN-WI



Deaths reported to DAWN

Drug misuse 699
Suicide 51

Metro area population, 2004

9,391,515

Population covered by DAWN

7,058,121

Percent of population covered by DAWN

75%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (7)	699	99.0	51	7.2	7,058,121
1. Cook County, IL*	573	107.5	38	7.1	5,327,777
2. DeKalb County, IL					95,503
3. DuPage County, IL					928,718
4. Grundy County, IL	10	243.5	1	24.3	41,069
5. Kane County, IL	28	59.3	3	6.3	472,482
6. Kendall County, IL	2	27.6	0	0.0	72,548
7. Lake County, IL	53	76.5	6	8.7	692,895
8. McHenry County, IL	25	84.3	1	3.4	296,389
9. Will County, IL					613,849
10. Jasper County, IN					31,624
11. Lake County, IN					490,844
12. Newton County, IN					14,421
13. Porter County, IN	8	51.6	2	12.9	154,961
14. Kenosha County, WI					158,435

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		322
Home		230
Public place		32
Other		111
Not documented		4
Suicide		Deaths
Health care facility		14
Home		32
Public place		--
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	569	Any drug-related cause	51
Abuse	--	Abuse	--
Drug or alcohol	566	Drug or alcohol	51
Toxic effects	549	Toxic effects	49
Body systems (includes infections)	149	Body systems (includes infections)	6
Accidents and injuries	13	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		699	358		51	23
Alcohol ²		132	7		14	0
Cocaine		442	214		--	0
Marijuana		10	--		0	0
Stimulants		--	--		0	0
Club drugs ³		--	0		0	0
Hallucinogens ⁴		--	0		0	0
Inhalants		0	0		0	0
Antidepressants		24	--		17	7
Antipsychotics		--	0		9	--
Benzodiazepines		22	--		7	--
Misc. anxiolytics, sedatives, and hypnotics		10	0		10	5
Opiates/opioids		435	125		11	--
Heroin (specified)		30	7		--	0
Methadone		40	20		0	0
All other opiates/opioids		375	98		10	--
Nonsteroidal anti-inflammatory agents		--	0		0	0
Salicylates/combinations		--	--		--	--
Misc. analgesics/combinations		6	0		4	--
Anticonvulsants		4	0		--	0
Muscle relaxants		9	--		--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Cleveland-Elyria-Mentor, OH



Deaths reported to DAWN

Drug misuse 184
Suicide 25

Metro area population, 2004

2,137,073

Population covered by DAWN

1,351,009

Percent of population covered by DAWN

63%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	184	136.2	25	18.5	1,351,009
1. Cuyahoga County, OH	184	136.2	25	18.5	1,351,009
2. Geauga County, OH					94,602
3. Lake County, OH					232,061
4. Lorain County, OH					294,324
5. Medina County, OH					165,077

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	91
Home	83
Public place	--
Other	8
Not documented	0
Suicide	Deaths
Health care facility	11
Home	11
Public place	--
Other	0
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	183	Any drug-related cause	25
Abuse	39	Abuse	0
Drug or alcohol	183	Drug or alcohol	25
Toxic effects	152	Toxic effects	25
Body systems (includes infections)	93	Body systems (includes infections)	5
Accidents and injuries	5	Accidents and injuries	--

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	178	184	94	21	25	8
Alcohol ²	46	31	0	8	9	0
Cocaine	91	103	58	--	--	0
Marijuana	5	4	0	0	--	0
Stimulants	--	--	0	--	0	0
Club drugs ³	--	--	0	0	0	0
Hallucinogens ⁴	7	0	0	0	0	0
Inhalants	0	--	0	0	0	0
Antidepressants	26	14	0	9	9	--
Antipsychotics	6	--	--	--	0	0
Benzodiazepines	15	14	0	--	4	0
Misc. anxiolytics, sedatives, and hypnotics	7	11	0	--	4	--
Opiates/opioids	90	87	21	6	8	--
Heroin (specified)	39	37	9	0	0	0
Methadone	5	6	--	0	0	0
All other opiates/opioids	55	54	11	6	8	--
Nonsteroidal anti-inflammatory agents	--	0	0	0	0	0
Salicylates/combinations	--	0	0	0	--	0
Misc. analgesics/combinations	13	13	--	--	7	--
Anticonvulsants	0	0	0	0	--	--
Muscle relaxants	--	5	0	--	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Denver-Aurora, CO



Deaths reported to DAWN

Drug misuse 215
Suicide 53

Metro area population, 2004

2,330,146

Population covered by DAWN

1,866,449

Percent of population covered by DAWN

80%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (5)	215	115.2	53	28.4	1,866,449
1. Adams County, CO					389,857
2. Arapahoe County, CO	51	97.5	13	24.9	522,812
3. Broomfield County, CO					42,901
4. Clear Creek County, CO					9,223
5. Denver County, CO*	128	229.9	18	32.3	556,835
6. Douglas County, CO	7	29.4	1	4.2	237,963
7. Elbert County, CO	4	177.9	0	0.0	22,488
8. Gilpin County, CO					4,883
9. Jefferson County, CO	25	47.5	21	39.9	526,351
10. Park County, CO					16,833

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		47
Home		109
Public place		18
Other		41
Not documented		0
Suicide		Deaths
Health care facility		11
Home		34
Public place		--
Other		7
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	208	Any drug-related cause	53
Abuse	--	Abuse	0
Drug or alcohol	208	Drug or alcohol	53
Toxic effects	201	Toxic effects	51
Body systems (includes infections)	29	Body systems (includes infections)	10
Accidents and injuries	5	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS		215	62		53	19
Alcohol ²		86	0		9	0
Cocaine		103	28		--	0
Marijuana		13	0		0	0
Stimulants		17	--		0	0
Club drugs ³		--	0		0	0
Hallucinogens ⁴		0	0		0	0
Inhalants		--	--		--	--
Antidepressants		19	--		22	--
Antipsychotics		5	0		6	--
Benzodiazepines		27	0		7	--
Misc. anxiolytics, sedatives, and hypnotics		11	0		11	--
Opiates/opioids		129	26		16	4
Heroin (specified)		15	6		--	--
Methadone		19	--		5	--
All other opiates/opioids		99	17		11	--
Nonsteroidal anti-inflammatory agents		--	0		--	0
Salicylates/combinations		0	0		--	0
Misc. analgesics/combinations		14	--		14	5
Anticonvulsants		6	0		--	0
Muscle relaxants		12	--		5	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Detroit-Warren-Livonia, MI



Deaths reported to DAWN

Drug misuse 644
Suicide 51

Metro area population, 2004

4,493,165

Population covered by DAWN

4,223,117

Percent of population covered by DAWN

94%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (4)	644	152.5	51	12.1	4,223,117
1. Lapeer County, MI					92,510
2. Livingston County, MI					177,538
3. Macomb County, MI*	110	133.7	9	10.9	822,660
4. Oakland County, MI*	120	98.9	28	23.1	1,213,339
5. St. Clair County, MI	13	76.1	1	5.9	170,916
6. Wayne County, MI*	401	198.9	13	6.4	2,016,202

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		201
Home		320
Public place		16
Other		105
Not documented		--
Suicide		Deaths
Health care facility		14
Home		27
Public place		--
Other		7
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	620	Any drug-related cause	39
Abuse	251	Abuse	0
Drug or alcohol	619	Drug or alcohol	39
Toxic effects	346	Toxic effects	39
Body systems (includes infections)	62	Body systems (includes infections)	--
Accidents and injuries	17	Accidents and injuries	11

Drug-related deaths by drug category, 2003-2004


Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	546	644	75	53	51	9
Alcohol ²	156	157	0	20	17	0
Cocaine	289	322	45	6	9	4
Marijuana	37	46	--	--	9	--
Stimulants	4	4	0	--	0	0
Club drugs ³	0	--	0	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	0	4	0	--	0	0
Antidepressants	109	142	--	20	19	0
Antipsychotics	25	35	--	6	8	0
Benzodiazepines	144	194	0	23	17	--
Misc. anxiolytics, sedatives, and hypnotics	88	117	0	15	7	0
Opiates/opioids	418	513	20	35	21	--
Heroin (specified)	72	194	--	0	0	0
Methadone	75	82	5	--	--	0
All other opiates/opioids	348	419	12	35	19	--
Nonsteroidal anti-inflammatory agents	--	--	0	0	0	0
Salicylates/combinations	--	--	--	--	--	0
Misc. analgesics/combinations	20	30	0	8	6	0
Anticonvulsants	10	12	0	--	--	0
Muscle relaxants	35	45	--	--	5	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Houston-Baytown-Sugar Land, TX



Deaths reported to DAWN

Drug misuse 344
Suicide 67

Metro area population, 2004

5,180,443

Population covered by DAWN

3,644,285

Percent of population covered
by DAWN
70%


Metro area overview: Deaths and population by county, 2004

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	344	94.4	67	18.4	3,644,285
1. Austin County, TX					25,800
2. Brazoria County, TX					271,130
3. Chambers County, TX					28,227
4. Fort Bend County, TX					442,620
5. Galveston County, TX					271,743
6. Harris County, TX	344	94.4	67	18.4	3,644,285
7. Liberty County, TX					74,821
8. Montgomery County, TX					362,382
9. San Jacinto County, TX					24,678
10. Waller County, TX					34,757

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse		Deaths
Health care facility		114
Home		167
Public place		28
Other		35
Not documented		0
Suicide		Deaths
Health care facility		15
Home		43
Public place		6
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	343	Any drug-related cause	66
Abuse	9	Abuse	0
Drug or alcohol	343	Drug or alcohol	66
Toxic effects	330	Toxic effects	65
Body systems (includes infections)	59	Body systems (includes infections)	--
Accidents and injuries	269	Accidents and injuries	62

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	241	344	122	78	67	19
Alcohol ²	63	83	--	22	14	0
Cocaine	119	174	87	7	12	--
Marijuana	15	4	0	--	0	0
Stimulants	--	6	--	0	--	0
Club drugs ³	--	5	--	0	0	0
Hallucinogens ⁴	4	7	--	0	--	--
Inhalants	--	--	0	--	0	0
Antidepressants	23	32	--	26	20	--
Antipsychotics	--	6	--	--	4	0
Benzodiazepines	47	83	0	19	24	--
Misc. anxiolytics, sedatives, and hypnotics	12	40	0	15	10	--
Opiates/opioids	122	180	23	39	32	5
Heroin (specified)	25	29	--	--	--	0
Methadone	25	47	11	7	--	0
All other opiates/opioids	78	126	10	34	27	5
Nonsteroidal anti-inflammatory agents	0	0	0	0	0	0
Salicylates/combinations	--	0	0	--	--	--
Misc. analgesics/combinations	4	10	--	6	4	--
Anticonvulsants	--	--	0	--	0	0
Muscle relaxants	35	50	0	11	12	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.


³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Indianapolis, IN



Deaths reported to DAWN

Drug misuse 108
Suicide 19

Metro area population, 2004

1,621,613

Population covered by DAWN

989,460

Percent of population covered by DAWN

61%

Metro area overview: Deaths and population by county, 2004


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	108	109.2	19	19.2	989,460
1. Boone County, IN					50,847
2. Brown County, IN					15,228
3. Hamilton County, IN					231,760
4. Hancock County, IN					60,915
5. Hendricks County, IN					123,476
6. Johnson County, IN	16	127.1	0	0.0	125,864
7. Marion County, IN*	92	106.5	19	22.0	863,596
8. Morgan County, IN					69,424
9. Putnam County, IN					36,786
10. Shelby County, IN					43,717

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2004




Place of death, 2004

Drug misuse	Deaths
Health care facility	20
Home	62
Public place	--
Other	24
Not documented	0
Suicide	Deaths
Health care facility	6
Home	13
Public place	0
Other	0
Not documented	0

Top 5 drugs involved: Drug misuse deaths, 2004




Top 5 drugs involved: Suicide deaths, 2004




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2004 (11/2005 update).

Death rates by gender and age: Drug misuse, 2004



Death rates by gender and age: Suicide, 2004



Causes of death, 2004

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	108	Any drug-related cause	19
Abuse	24	Abuse	0
Drug or alcohol	107	Drug or alcohol	18
Toxic effects	95	Toxic effects	19
Body systems (includes infections)	15	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	0

Drug-related deaths by drug category, 2003-2004

Drug category	Drug misuse			Suicide		
	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004	Deaths, 2003	Deaths, 2004	Single-drug deaths, 2004
ALL DRUGS	72	108	21	8	19	6
Alcohol ²	23	28	0	--	--	0
Cocaine	21	44	11	--	--	0
Marijuana	14	14	0	--	--	0
Stimulants	--	9	--	0	0	0
Club drugs ³	0	--	0	0	0	0
Hallucinogens ⁴	--	0	0	0	--	0
Inhalants	0	0	0	0	0	0
Antidepressants	5	18	0	--	8	--
Antipsychotics	0	0	0	0	--	0
Benzodiazepines	17	25	0	--	7	0
Misc. anxiolytics, sedatives, and hypnotics	5	11	--	--	4	0
Opiates/opioids	60	72	5	4	12	--
Heroin (specified)	--	6	0	0	0	0
Methadone	17	17	--	--	--	--
All other opiates/opioids	48	60	--	4	10	--
Nonsteroidal anti-inflammatory agents	0	0	0	--	--	0
Salicylates/combinations	--	0	0	0	0	0
Misc. analgesics/combinations	4	24	--	--	5	--
Anticonvulsants	0	--	0	0	--	0
Muscle relaxants	--	7	--	--	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.